

# Work Order ID 77596

**\*77596\***

Page 1

Tuesday, December 13, 2011 2:46:15 PM

Item ID: D3782-043 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Front Outboard Leg Assembly, LH  
 Start Date: 12/13/2011 Start Qty: 1.00 **\*1\*** Cust Item ID:  
 Required Date: 1/5/2012 Req'd Qty: 1.00 **\*1\*** Customer:  
 Reference:

Approvals: Process Plan: *[Signature]* Date: 12-13 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_  
 Run Start **\*NR1\***  
 Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
<b>Draw Nbr</b>	<b>Revision Nbr</b>								
D3782	Rev B								
100	Pick Kit	0.00							
<b>*100*</b>									
Packaging	Memo	0.00							
Packaging									
110	Small Fab	0.00							
<b>*110*</b>									
Small Fab	Memo	0.00							
Small Fab	1-assemble as per dwg D3782								
120	QC5- Inspect part completeness to step on W/O	0.00							
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									

*[Handwritten signature]* 11/12/21 *[Stamp]*

*[Handwritten signature]* 11/12/21 *[Stamp]*

*[Handwritten signature]* 12/12/21

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 77596

**\*77596\***

Page 2

Tuesday, December 13, 2011 2:46:15 PM

Item ID: D3782-043 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Front Outboard Leg Assembly, LH  
 Start Date: 12/13/2011 Start Qty: 1.00 **\*1\*** Cust Item ID:  
 Required Date: 1/5/2012 Req'd Qty: 1.00 **\*1\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location <i>GA</i>	0.00							
<b>*130*</b>									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
<b>*140*</b>									
QC	Memo	0.00							
Quality Control									

*11/12/21*

*11/12/22*

*mr*

*11-12-21*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Tuesday, December 13, 2011 2:46:20 PM

Page 1

Work Order ID: 77596

**\*77596\***

Parent Item: D3782-043

**\*D3782-043\***

Parent Item Name: Front Outboard Leg Assembly, LH

Start Date: 12/13/2011

Required Date: 1/5/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 08-05-19 new issue DD verified by:ec  
IPP Rev:B 08-06-17 rev.A as per dwg DD verified by:EC IPP Rev:C  
10.02.22 revB as per dwg DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3768-3 <b>*D3768-3*</b> Front Outboard Leg, LH		Manufactured	No			110	Each	11.0000	1	1			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST251				11					
					54338			11					
D3787-1 <b>*D3787-1*</b> Foot		Manufactured	No			110	Each	16.0000	1	1			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST249A				16					
					68367			16					
D3762-041 <b>*D3762-041*</b> Front Leg Fitting Assembly		Manufactured	No			110	Each	5.0000	1	1			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST243				5					
					62476			1					
					63337			4					

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Page 2

Tuesday, December 13, 2011 2:46:20 PM

Work Order ID: 77596

**\*77596\***

Parent Item: D3782-043

**\*D3782-043\***

Parent Item Name: Front Outboard Leg Assembly, LH

Start Date: 12/13/2011

Required Date: 1/5/2012

Start Qty: 1.00

Required Qty: 1.00

AN45-13A Purchased No

110 Each 38.0000 2 2

**\*AN45-13A\***

EYE BOLT

\*\*

*Handwritten signature and date: 11/12/21*

Location

Loc Qty

Loc Code

ST362

38

115358

18

118757

10

118758

10

*Handwritten 2*

MS21042L5 Purchased No

110 Each 2,142.000 2 2

**\*MS21042L5\***

Nut

\*\*

*Handwritten signature and date: 11/12/21*

Location

Loc Qty

Loc Code

ST300

2142

116105

5

116548

43

117611

52

118179

496

118910

46

119109

1500

*Handwritten 2*

AN960JD516 NAS1149D0563J Purchased No

110 Each 0.0000 2 2

**\*AN960JD516\***

Washer

\*\*

*Handwritten signature and date: 11/12/21*

*Handwritten: 47 M118206 (2)*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




ITEM NO.	QTY. (-041)	PART NUMBER	DESCRIPTION
1	1	D3768-1	FRONT INBOARD LEG
2	1	D3787-1	FOOT
3	1	D3762-041	FRONT LEG FITTING ASSY
4	1	AN45-13A	EYE BOLT
5	1	AN5-13A	BOLT
6	2	MS21042L5	NUT
7	3	NAS1149D0563J	WASHER (AN960JD516)

△B

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 77594

*911-12-13*



**RELEASED**  
2010-02-10  
*MD*

**D3782-041 FRONT INBOARD LEG ASSEMBLY**

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.42 lbs
- 8) ITEM 4 (AN45-13A EYE BOLT) INSTALLED AS SHOWN FOR D412-769-041 AFT FACING SEAT, LH  
INSTALLED IN REVERSE FOR D412-769-042 AFT FACING SEAT, RH

B	REVISE P/N NAS1149D0568J TO NAS1149D0563J ALL SHEETS, ZN 07	<i>HS</i>	10.01.21
A	NEW ISSUE	HS	08.06.04
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>HS</i>		
DRAWN	<i>HS</i>		
CHECKED	<i>HS</i>		
MFG. APPR.	<i>HS</i>		
APPROVED	<i>HS</i>		
DE APPR.	<i>HS</i>		
DATE	10.01.21		

<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWING NO. <b>D3782</b>	REV. B SHEET 1 OF 4
TITLE <b>LEG ASSEMBLY</b>	SCALE NTS
COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM NO.	QTY. (-043)	PART NUMBER	DESCRIPTION
1	1	D3768-3	FRONT OUTBOARD LEG, LH
2	1	D3787-1	FOOT
3	1	D3762-041	FRONT LEG FITTING ASSY
4	2	AN45-13A	EYE BOLT
5	2	MS21042L5	NUT
6	2	NAS1149D0563J	WASHER (AN960JD516)









D3782-043 FRONT OUTBOARD LEG ASSY, LH

RELEASED  
2010-02-10

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.42 lbs

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3782	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LEG ASSEMBLY	NTS
DATE	10.01.21	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM NO.	QTY. (-044)	PART NUMBER	DESCRIPTION
1	1	D3768-4	FRONT OUTBOARD LEG, RH
2	1	D3787-1	FOOT
3	1	D3762-041	FRONT LEG FITTING ASSY
4	2	AN45-13A	EYE BOLT
5	2	MS21042L5	NUT
6	2	NAS1149D0563J	WASHER (AN960JD516)



**D3782-044 FRONT OUTBOARD LEG ASSY, RH**

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.42 lbs

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. <b>D3782</b>	REV. B
MFG. APPR.			SHEET 3 OF 4
APPROVED		TITLE <b>LEG ASSEMBLY</b>	SCALE
DE APPR.			NTS
DATE	<b>10.01.21</b>	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM NO.	QTY. (-045)	PART NUMBER	DESCRIPTION
1	1	D3772-1	BACK LEG
2	1	D3787-1	FOOT
3	1	D3764-1	BACK LEG FITTING
4	1	D3773-041	HEAD REST ADAPTER ASSY
5	1	D3786-1	SLEEVE
6	1	AN5-15A	BOLT
7	1	AN5-17A	BOLT
8	1	AN45-15A	EYE BOLT
9	2	AN4-15A	BOLT
10	2	MS21042L4	NUT
11	3	MS21042L5	NUT
12	4	NAS1149D0463J	WASHER (AN960JD416)
13	5	NAS1149D0563J	WASHER (AN960JD516)

# **D3782-045 BACK LEG ASSY**



NOTES:  
 1) MATERIAL: N/A  
 2) FINISH: N/A  
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
 4) UNITS: INCHES UNLESS OTHERWISE NOTED  
 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
 6) IDENTIFICATION: N/A  
 7) WEIGHT: 4.71 lbs

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3782	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LEG ASSEMBLY	NTS
DATE	10.01.21	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD          THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS          NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT          WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries